

Advances in Clinical and Medical Research

Genesis-ACMR-2(2)-19

Volume 2 | Issue 2

Open Access

ISSN: 2583-2778

RNA Signaling in Microenvironment

Shihori Tanabe*

Senior Researcher, Division of Risk Assessment, Center for Biological Safety and Research, National Institute of Health Sciences, Japan

***Corresponding author:** Shihori Tanabe, Senior Researcher, Division of Risk Assessment, Center for Biological Safety and Research, National Institute of Health Sciences, Japan

Citation: Tanabe S. (2021) RNA Signaling in Microenvironment *Adv Clin Med Res.* 2(2):1-2.

Received: June 24, 2021 | **Published:** July 15, 2021

Copyright© 2021 genesis pub by Tanabe S. CC BY-NC-ND 4.0 DEED. This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial-No Derivatives 4.0 International License. This allows others to distribute, remix, tweak, and build upon the work, even commercially, as long as they credit the authors for the original creation.

Abstract

RNA signaling has emerged to be focused in several diseases. Multiple types of RNAs including microRNA, long non-coding RNA, and circular RNA mediate the signals among cells in cancer microenvironment. These RNAs travel in the microenvironment via extracellular vesicles or exosomes. The messages carried by RNAs transactivate the cells in different organs, which may cause cancer metastasis or the amplification of diseases. Intercellular RNA signaling in microenvironment is of interest.

RNAs in Extracellular Vesicles

Intercellular communication is mediated by direct interaction, soluble factors, or extracellular vesicles [1]. Extracellular vesicles include exosomes, ectosomes or shedding microvesicles, and apoptotic bodies [1]. The presence of DNA, RNA, proteins, lipids and metabolites in extracellular vesicles have been identified [1-3]. Various forms of RNAs exist in the extracellular vesicles, which are mRNA, microRNAs (miRNAs), long non-coding RNAs (lncRNAs), and circular RNAs (circRNAs) [2,4,5]. These RNAs in extracellular vesicles play important roles in intercellular RNA signaling.

Editorial | Tanabe S. *Adv Clin Med Res* 2021, 2(2)-19.

DOI: [https://doi.org/10.52793/ACMR.2021.2\(2\)-19](https://doi.org/10.52793/ACMR.2021.2(2)-19)

Inter- and intra-cellular travel of RNAs in cancer microenvironment

LncRNAs in exosomes mediate cell-to-cell communication in cancer microenvironment affecting tumor progression and metastasis [5]. Cancer cells and the surrounding cells in the cancer microenvironment intercellularly communicate via lncRNAs to promote tumor resistance and metastasis [5]. CircRNAs, which are single-stranded, covalently closed RNA molecules, and more stable than linear RNAs, regulate the cellular activities including cancer signaling pathways in the cancer microenvironment [4, 6]. A panel of miRNAs induces modulation of gene expression via regulation of mRNA, leading to cancer metastasis, tumor progression, drug resistance and recurrence [7,8].

Conclusion

The world of RNA molecules has been expanding in intercellular communications. The importance of the RNA signaling in terms of both forms of mRNA and signal-mediating RNAs such as miRNAs, lncRNAs, and circRNAs in the microenvironment would increase.

References

1. Kalra H, Drummen GP, Mathivanan S. (2016) Focus on Extracellular Vesicles: Introducing the Next Small Big Thing. *Int J Mol Sci.* 17(2):170.
2. Pathan M, Fonseka P, Chitti SV, Kang T, Sanwlani R, et al. (2019) Vesiclepedia 2019: a compendium of RNA, proteins, lipids and metabolites in extracellular vesicles. *Nucleic Acids Res.* 47:D516-D519.
3. Mathivanan S, Fahner CJ, Reid GE, Simpson RJ. (2012) ExoCarta 2012: database of exosomal proteins, RNA and lipids. *Nucleic Acids Res.* 40:D1241-1244.
4. Vo JN, Cieslik M, Zhang Y, Shukla S, Xiao L, et al. (2019) The Landscape of Circular RNA in Cancer. *Cell.* 176: 869-881.
5. Sun Z, Yang S, Zhou Q, Wang G, Song J, et al. (2018) Emerging role of exosome-derived long non-coding RNAs in tumor microenvironment. *Mol Cancer.* 17: 82.
6. Zou Y, Zheng S, Deng X, Yang A, Xie X, et al. (2019) The Role of Circular RNA CDR1as/ciRS-7 in Regulating Tumor Microenvironment: A Pan-Cancer Analysis. *Biomolecules.* 9(9):429.
7. Mroweh M, Decaens T, Marche PN, Macek Jilkova Z, Clement F. (2020) Modulating the Crosstalk between the Tumor and Its Microenvironment Using RNA Interference: A Treatment Strategy for Hepatocellular Carcinoma. *Int J Mol Sci.* 21(15):5250.
8. Pan JH, Zhou H, Zhao XX, Ding H, Li W, Qin L, Pan YL, et al. (2018) Role of exosomes and exosomal microRNAs in hepatocellular carcinoma: Potential in diagnosis and antitumour treatments (Review). *Int J Mol Med.* 41:1809-1816